



Floor Sanding  
Heavy stock removal  
Finishing  
Abrasive Belts For Floor Sanding  
**Ceramic, Zirconium,  
Alum. Oxide, Silicon Carbide**

**everything**  
**FOR FLOOR SANDING**  
Product For Floor



Abrasive : CR831  
Backing : Y Weight Polyester  
Bond : Resin Over Resin  
Coating : Close  
Grit Range : 24, 36, 40, 50, 60, 80, 100, 120  
Dimension : 200x551, 200x570, 200x592, 200x750, 250x750



Abrasive : ZC710  
Backing : X Weight Polyester  
Bond : Resin Over Resin  
Coating : Semi-Open  
Grit Range : 16, 24, 36, 40, 50, 60, 80, 100, 120, 150, 180  
Dimension : 200x551, 200x570, 200x592, 200x750, 250x750



Abrasive : ZC711  
Backing : X Weight Polyester  
Bond : Resin Over Resin  
Coating : Close  
Grit Range : 16, 24, 36, 40, 50, 60, 80, 100, 120, 150, 180  
Dimension : 200x551, 200x570, 200x592, 200x750, 250x750



Abrasive : ZC811  
Backing : Y Weight Polyester  
Bond : Resin Over Resin  
Coating : Close  
Grit Range : 24, 36, 40, 50, 60, 80, 100, 120  
Dimension : 200x551, 200x570, 200x592, 200x750, 250x750



Abrasive : ZC851  
Backing : Z Weight Polyester  
Bond : Resin Over Resin  
Coating : Semi-Open  
Grit Range : 24, 36, 40, 50, 60, 80, 100, 120  
Dimension : 200x551, 200x570, 200x592, 200x750, 250x750



Abrasive : AC711  
Backing : X Weight Polyester  
Bond : Resin Over Resin  
Coating : Semi-Open  
Grit Range : 16, 24, 36, 40, 50, 60, 80, 100, 120, 150, 180  
Dimension : 200x551, 200x570, 200x592, 200x750, 250x750




Abrasive : AC811  
Backing : Y Weight Polyester  
Bond : Resin Over Resin  
Coating : Close  
Grit Range : 24, 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400  
Dimension : 200x551, 200x570, 200x592, 200x750, 250x750




Abrasive : SC711  
Backing : X Weight Polyester  
Bond : Resin Over Resin  
Coating : Semi-Open  
Grit Range : 16, 24, 36, 40, 50, 60, 80, 100, 120, 150, 180  
Dimension : 200x551, 200x570, 200x592, 200x750, 250x750




Abrasive : SC811  
Backing : Y Weight Polyester  
Bond : Resin Over Resin  
Coating : Semi-Open  
Grit Range : 24, 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400  
Dimension : 200x551, 200x570, 200x592, 200x750, 250x750






Abrasive : AP311 AL. OXIDE  
Backing : F-wt Paper  
Bond : Resin Over Resin  
Coating : Semi-Friable  
Grit Range : 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400  
Dimension : 150mm, 178mm



Abrasive : ZC710X ZIRCONIUM  
Backing : Polycotton  
Bond : Resin Over Resin  
Coating : Semi-Open  
Grit Range : 16, 24, 36, 40, 50, 60, 80, 100, 120, 150, 180  
Dimension : 150mm, 178mm



Abrasive : CR831X CERAMIC  
Backing : Y Weight Polyester  
Bond : Resin Over Resin  
Coating : Semi-Open  
Grit Range : 24, 36, 40, 50, 60, 80, 100, 120  
Dimension : 150mm, 178mm





Abrasive : SP311F SILICON CARBIDE  
Backing : F-wt Paper  
Bond : Resin Over Resin  
Coating : Semi-Open  
Grit Range : 16, 24, 36, 40, 50, 60, 80, 100, 120, 150, 180  
Dimension : 93mm



Abrasive : ZC710X ZIRCONIUM  
Backing : Polycotton  
Bond : Resin Over Resin  
Coating : Semi-Open  
Grit Range : 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400  
Dimension : 80x133mm




Abrasive : ZC710X ZIRCONIUM  
Backing : Polycotton  
Bond : Resin Over Resin  
Coating : Semi-Open  
Grit Range : 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400  
Dimension : 100x150mm



Abrasive : Diamond Turbo Disc  
All-round segment for medium hard and hard floors.  
Grit Range : 20





Abrasive : SP311F SILICON CARBIDE  
Backing : F-wt Paper  
Bond : Resin Over Resin  
Coating : Semi-Open  
Grit Range : 16, 24, 36, 40, 50, 60, 80, 100, 120, 150, 180  
Dimension : 407 mm Double Side



## FEATURES

- \* Extremely sharp silicon carbide abrasive
- \* Strong E-weight paper



## BENEFITS

- \* Ideal for use on dry and stone surfaces
- \* High cut rate



Diameter 406 mm

Black Super Scrub



Green Super Scrub



Brown Buffer



White Super Gloss



Eminalipaşa Caddesi Bahçelerarası Sok.No.25-5  
TR- 34740 Bostancı – İstanbul  
T +90 216 384 51 52 Pbx.  
F +90 216 384 51 54  
M +90 532 168 15 30

IZBA AS Niederlassung Deutschland / Branch Germany  
Siedlung Depot 12A D- 56218  
Mülheim – Kärlich - Gewerbestraße  
T +49 171 2639873

**IZBA**  
ENDÜSTRİYEL A.Ş.

İzba Endüstriyel Ürünler İthalat İhracat Sanayi A.Ş.  
İndüstrielle Produkte Importe Export Industrie AG